

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	51	((layer adj "4") near2 (switch\$5 rout\$5)) same ((layer adj "2") near2 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 10:55
S2	28	((layer adj "4") near2 (switch\$5 rout\$5)) near5 ((layer adj "2") near2 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/15 12:02
S3	29	((layer adj "4") near2 (switch\$5 rout\$5)) near7 ((layer adj "2") near2 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/15 12:03
S4	1	S3 not S2	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/15 12:03
S5	35	((layer adj "4") near2 (switch\$5 rout\$5)) with ((layer adj "2") near2 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/15 12:32
S6	34	S5 not S4	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/15 12:04
S7	6	S6 not S3	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/15 12:04
S8	1996	(((layer adj "2") layer-2) near2 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:10
S9	2955	(server near7 port) same (client near7 port)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/15 12:34
S10	5	S8 same S9	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/15 12:34
S11	0	active same passigve	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:10

EAST Search History

S12	85732	active same passive	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:12
S13	1996	(((layer adj "2") layer-2) near2 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:10
S14	5	S13 same S12	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:45
S15	1492	("same" near5 (virtual adj3 address))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:45
S16	17	S13 and S15	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:47
S17	11284	((TCP/IP TCP IP/TCP IP) same MAC)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:48
S18	758	S13 and S17	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:48
S19	13	S18 and S16	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:48
S20	98	((layer adj "4") near4 (switch\$5 rout\$5)) same ((layer adj "2") near4 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:54
S21	51	((layer adj "4") near2 (switch\$5 rout\$5)) same ((layer adj "2") near2 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:54
S22	47	S20 not S21	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 08:55
S23	2346	((layer adj "4") near2 (switch\$5 rout\$5)) or ((layer adj "2") near2 (switch\$5 rout\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 10:56

EAST Search History

S24	14	S12 and S15 and "13"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 10:58
S25	2	S12 and S15 and S23	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 10:59
S26	12	S12 and S15 and (rout\$5 switch\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 11:02
S27	484	active and S15 and (rout\$5 switch\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 11:03
S28	592	(active master) and S15 and (rout\$5 switch\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 11:03
S29	334	(active master) and S15 and (rout\$5 switch\$5) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 11:04
S30	28	S29 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 11:04
S31	114	S15 same switch\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 12:02
S32	68	S31 and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 12:16
S33	862	S15 and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:08
S34	39	S33 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 12:20
S35	0	S33 and "7\$2"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 12:20

EAST Search History

S36	0	S33 and "7\$"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 12:21
S37	67	S33 and "709"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 12:21
S39	65041	active same (establish\$5 (set adj up) setup)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:16
S40	6646	S12 and S39	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:13
S41	4346	S40 and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:16
S42	258	S41 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:17
S43	52	S42 and (determin\$7 near7 active)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:14
S44	196960	active same (switch\$5 bridg\$5 rout\$5)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 15:38
S45	24587	active with (establish\$5 (set adj up) setup)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:17
S46	1315	S12 and S44 and S45	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:17
S47	901	S46 and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:17
S48	133	S46 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:18

EAST Search History

S49	74	S47 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 14:19
S50	5828	(master same (switch\$5 bridg\$5 rout\$5)) and (master same slave) and (establish\$5 (set adj up) setup) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 15:39
S51	1007	(master same (switch\$5 bridg\$5 rout\$5)) and (master same slave). bsum. and (establish\$5 (set adj up) setup). bsum. and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 15:40
S52	214	S51 and "370"/\$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 15:42
S53	176	(active near3 server) and (passive near3 server)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 15:43
S54	90	(active near3 server) and (passive near3 server) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 15:51
S55	105	(active near2 node) and (passive near2 node) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/18 15:51
S56	76	(active near2 node) same (passive near2 node) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:04
S57	0	709/203.ccls. and (active near2 node) same (passive near2 node) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:06
S58	0	709/203.ccls. and (active near2 node) and (passive near2 node) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:05

EAST Search History

S59	2	709/203.ccls. and (active near2 node) and (passive near2 node)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:05
S60	84	709/203.ccls. and ((active) same (passive)) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:07
S61	2	709/203.ccls. and ((active near2 server) same (passive near2 server)) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:08
S62	13	"709"/\$.ccls. and ((active near2 server) same (passive near2 server)) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:10
S63	15	"709"/\$.ccls. and ((active near2 server) with (only near2 one)) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:16
S64	3	"370"/\$.ccls. and ((active near2 server) with (only near2 one)) and (@pd<"20020926" or @rlad<"20020926" or @ptad<"20020926")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/06/19 07:16